Poli Printables

Digital Media for Textile Transfers

Designed for Solvent/Eco-Solvent Inks

Clear Matte PLS-9000



Clear polyurethane material with a matte finish, designed for white or light colored fabrics. Prints in mirror image on the hotmelt side of the film, which provides a solid barrier between the ink and the environment. When pressed, the matte PET carrier on top of the image produces a beautiful matte finish.



Acceptable Fabrics

Cotton, Uncoated Polyester, Fabric Blends Excluding Nylon, Dazzle Cloth, Shiny Polyester, and Moisture-Wicking Materials Accessories Needed Weeding Tool

Sizing Available

Width (in.): 20" | Lengths (ft): 15', 30', 60', and 90' Width (in.): 30" | Lengths (ft): 15', 30', and 90'

Width (in.): 60" | Lengths (ft): 90' only

Thickness

3 mils/75 microns





Print and cut this material in mirror image



No transfer mask necessary



320°F - 330°F





15 Seconds



Peel Cool



Wash inside-out, gentle cycle, cool water, tumble dry.

SpecialtyMaterials.com | 877.437.8556



Test on dazzle cloth and other moisture-wicking polyesters. Moisture-wicking materials have better adhesion when washed and dried using no fabric softener or blotted with rubbing alcohol before pressing. Be advised that dye migration has occurred with low energy dyes in polyester and poly-blend fabrics. All technical information and recommendations are based on tests we believe to be reliable. However, we cannot guarantee performance for conditions not under manufacturer's control. Before using, please determine the suitability of product for its intended use. The user assumes all risk and liability, whatsoever, in connection with the use of this product. Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective by manufacturer.